

Page 6, lines 3-6, replace by:

--Figures 4A-4D present an alignment of the cDNAs of the six GAGE genes discussed herein. In the figure, identical regions are surrounded by boxes. Translation initiation sites and stop codons are also indicated. Primers, used in polymerase chain reaction as described in the examples are indicated by arrows.--

IN THE FIGURES

Amend the figures as indicated by the attached.

IN THE CLAIMS

Claims 1-40 (Canceled).

Claim 41: (Original) An isolated nucleic acid molecule which encodes a GAGE tumor rejection antigen precursor, the nucleotide sequence of which is set forth in SEQ ID NO: 14, 15, 16, 17, or 18.

Claim 42: (Original) An expression vector useful in producing a GAGE tumor rejection antigen, comprising the isolated nucleic acid molecule of claim 41, operably linked to a promoter.

Claim 43: (Original) An isolated cell, transformed or transfected with the isolated nucleic acid molecule of claim 41.

Claim 44: (Original) An isolated cell, transformed or transfected with the expression vector of claim 42.

Claim 45: (Original) The expression vector of claim 42, further comprising a nucleic acid molecule which encodes an HLA molecule.

Claim 46: (Original) The expression vector of claim 45, wherein said HLA molecule is HLA-Cw6 or HLA-A29.